



ELECTRICAL CHARACTERISTICS: (FOR 671-1619 COMPATIBLE)

- D.C.R. : PIN 1-3 = 27.2 ΩHM+/-12%,
PIN 4-6 = 12.6 ΩHM +/-12%
- INDUCTANCE (@1KHZ, 1Vrms) : PIN 1-3 = 1.9 H MIN.
- IMPEDANCE (@1KHZ, 1Vrms, PIN 4-6 W/H 600 ΩHM) :
PIN 1-3 = 4000 ΩHM+/-10%
- INSERTION LOSS (@1KHZ, PIN 4-6 W/H 600 ΩHM) :
PIN 1-3 = 1.0 dB MAX.
- FREQUENCY RESPONSE (@REF 1KHZ) :
(@300 - 3500HZ) = +/-0.5dB
- HI-POT (@1500VAC, 1mA, 2SEC) = 1-4-CORE
- RoHS COMPLIANCE.

						Atech [®]		TITLE 4000:600 TRANSFORMER	
						Atech Technology Co., Ltd.		DWG. NO.	
						TEL:(02)2794-6667 FAX:(02)2794-8004		ATS-479R	
						UNITS:		SAFETY	
						DATE		P/N:	
						DATE		DRAW	
REVISIONS								SHEET 1 OF 1	
NO	DESCRIPTION	DATE	BY	CHK	APPD				