



ELECTRICAL CHARACTERISTICS :

- DCR : PIN10-8 = 1.1 OHM +/- 10% PIN9-7 = 1.5 OHM +/- 10%
PIN3-1 = PIN4-2 = 1.29 OHM +/- 10%
- INDUCTANCE (@10KHz, 0.1Vrms, W/H 2-3 SHORT)
1-4 = 5mH +/- 10%
- LEAKAGE (@100KHz, 0.1Vrms, W/H 2-3, 8-9, 10-7 SHORT)
1-4 = 20 uH MAX.
- TURNS RATIO (@40KHz, 1Vrms)
1-3 : 2-4 = 1 +/- 1%
10-8 : 9-7 = 1 +/- 1%
10-7 (8-9 SHORT) : 1-4 (2-3 SHORT) = 1 +/- 1%
- HI-POT (@1500VAC, 1mA, 2SEC) PRI-SEC

						Atech [®]		TITLE TRANSFORMER	
						Atech Technology Co.. Ltd.		DWG. NO. ATs-335	
						TEL:(02)2794-6667 FAX:(02)2794-8004			
RELEASE		01/11/99	PAIR	SUEDY		UNITS: M/M	SAFETY		SHEET 1 OF 1
NO:	DESCRIPTION	DATE	BY	CHK	APPD	DATE			DRAW
REVISIONS						01/11/99			Pair