



ELECTRICAL CHARACTERISTICS : (FOR ALCATEL ADSL)

1. DCR : PIN 6-3 = 1.8 OHM MAX. PIN 7-1 = 0.95 OHM MAX.
PIN 1-2 = 1 OHM MAX. PIN 5-4 = 0.75 OHM MAX.
2. INDUCTANCE (@100KHz, 1Vrms) PIN 6-3 = 7.68mH MIN.
3. LEAKAGE INDUCTANCE (@300KHz, 0.1Vrms, W/H PIN 7-2 SHORT)
PIN 6-3 = 3uH MAX.
4. TURNS PATIO : PIN 3-6 : PIN 2-1 = 1.21 +/- 2%
PIN 3-6 : PIN 1-7 = 1.21 +/- 2%
PIN 3-6 : PIN 4-5 = 2 +/- 2%
5. HI-POT (@600VAC, 1mA, 2SEC)
2-3, 2-4, 3-4, 2-CORE, 3-CORE, 4-CORE

						Atech [®]		TITLE ADSL TRANSFORMER	
						Atech Technology Co., Ltd.		DWG. NO. ATS-343	
						TEL:(02)2794-8887 FAX:(02)2794-8884			
RELEASE		01/08/99	PAIR	SLIEDY	UNITS	SAFETY		SHEET 1 OF 1	
NO.	DESCRIPTION	DATE	BY	CHK	APPD	M/M			DRAW
REVISIONS						01/08/99		Pair	